

# ArchiRay


LED 燈帶  
Strip Series





# LED Strip Set





Model No.	S5050060AW	S5050120AW	S5050144AW
LED chip	<b>EPISTAR</b> LED CHIP INSIDE		
Width (mm)	10 mm	15 mm	19 mm
Wattage	14.4W/m	28.8W/m	35W/m
No. of LED	60pcs/m	120pcs/m	144pcs/m
Input Voltage	12V / 24V		
Output Lumen	1080-1200 lm	2160-2400 lm	2304-2592 lm
Color temperature	2200K / 2700K / 4000K / 6000K		
CRI (Ra)	>85		
Protection Grade	IP55 (滴膠) / IP65 (套管)		
Ambient Temperature	-30°C - 45°C		







<b>Model No.</b>	<b>SA1616A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear

# Led Strip Set



<b>Model No.</b>	<b>SA1616B</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear


# Led Strip Set





<b>Model No.</b>	<b>SA1515A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear




# Led Strip Set



<b>Model No.</b>	<b>SA1712A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear




<b>Model No.</b>	<b>SA1308A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear



<b>Model No.</b>	<b>SA1607A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear


可選配安裝卡座






<b>Model No.</b>	<b>SA1612A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear

可選配安裝卡座




<b>Model No.</b>	<b>SA2020A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear

可選配安裝卡座



<b>Model No.</b>	<b>SA2207A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear

可選配安裝卡座



<b>Model No.</b>	<b>SA2212A</b>
Light Source	S5050060AW LED Strip
Material	Aluminum
Cover	Milk / Clear

可選配安裝卡座